



# RESOURCE GUIDE

## DEFAULT PRINTING DESIGNS

Version 1.0

# TABLE OF CONTENTS

- 1 INTRODUCTION .....2
- 2 SALAMANDERLIVE™ PRINT CONTROL.....2
  - 2.1 Responders .....2
    - 2.1.1 Hard Card Design .....2
    - 2.1.2 Salamander Paper Design .....7
    - 2.1.3 Standard Paper Design..... 11
    - 2.1.4 Label Design.....18
  - 2.2 Equipment.....18
    - 2.2.1 Hard Card Design .....18
    - 2.2.2 Standard Paper Design.....21
    - 2.2.3 Label Design.....26
  - 2.3 Assignments .....26
    - 2.3.1 Hard Card Design .....27
    - 2.3.2 Standard Paper Design.....28
    - 2.3.3 Label Design.....29
- 3 RAPID TAG.....29
  - 3.1 People.....29
    - 3.1.1 Hard Card Design .....30
    - 3.1.2 Label Design.....31
  - 3.2 Equipment.....32
  - 3.3 Company .....33
- 4 RAPID TAG EVAC .....34
  - 4.1 Wristband Design .....34
  - 4.2 Label Design.....34
- 5 CONTACT US.....36

# 1 INTRODUCTION

This resource guide includes all of the default printing designs used with current Salamander software. All sample designs presented have been scaled to fit this document and can be used for tabletop exercises.

## 2 SALAMANDERLIVE™ PRINT CONTROL

Print Control is the proprietary printing software used with SalamanderLive™. With Print Control, ID tags for personnel, equipment, and assignments can be printed, including the ability to encode radio-frequency identification ("RFID") smart cards. For optimum print results, ensure the most updated Print Control software is installed on the computer designated to print ID tags. Refer to section 7, "Install Print Control" in the *Administrative Setup Guide for SalamanderLive™* for detailed instructions. These designs focus on more permanent tag materials.

### 2.1 Responders

Responder designs are specifically used when printing personnel tags. There are a total of 29 default responder designs available for use. For ease of identification, all of the default responder designs begin with an "R." If other Salamander software, such as RAPID TAG, is installed on the same computer, those Responder designs will also be available for use when printing in SalamanderLive™.

#### 2.1.1 Hard Card Design

The hard card designs are separated into 4 main groups based on their available design features:

- R\_Card\_[Industry Type]
- R\_Card\_z\_Med\_[Industry Type]
- R\_Card\_z\_Med\_[Industry Type]\_NO\_LAST\_NAME
- R\_Card\_3\_TAG

Within these groupings, common color variations are available and named for the specific organization type to use with the color. These hard card designs are intended to be for more permanent tags which are printed on CR80 sized cards using a PVC or hard card printer. These designs have the following features:

- Personnel Barcode
- Organization
- Organization Logo
- First and Last Name
- Photo
- Title
- State
- Issue and Expire Dates of the tag
- Medical Barcode
- Organization's Address
- Qualifications

## R\_Card\_[Industry Type]

These designs are the standard for Salamander personnel tags. The design contains a front and a back.

Front of all R\_Card Designs:




Figure 2.1.1.1




Figure 2.1.1.2




Figure 2.1.1.3

Back of all R\_Card Designs:

## R\_Card\_z\_Med\_[Industry Type]

These designs are similar to the R\_Card\_[Industry Type] designs, except the medical barcode is removed and the person's rank is moved to be more prominent.

Front of all R\_Card\_z\_MED designs:



Figure 2.1.1.5

Back of all R\_Card\_z\_MED Designs:



Figure 2.1.1.6



## R\_Card\_z\_Med\_[Industry Type]\_NO\_LAST\_NAME

These designs are built off the R\_Card\_z\_Med\_[Industry Type] design, except the person's last name is removed.

Front of R\_Card\_z\_Med\_[Industry Type]\_NO\_LAST\_NAME Designs:



Figure 2.1.1.7

Back of all R\_Card\_z\_MED\_[Industry Type]\_NO\_LAST\_NAME Designs:




Figure 2.1.1.8

### R\_Card\_3\_TAG Design

This design is for special CR80 cards which can be broken into three 2x1 tags. These tags contain the following features:

- Personnel Barcode
- Organization
- Organization Logo
- First and Last Name
- Photo
- Title

R\_Card\_3\_Tag:



Figure 2.1.1.10

### 2.1.2 Salamander Paper Design

The Salamander Paper designs are meant to be printed on perforated pre-printed colored paper available through Salamander Technologies. These designs print two tags for two people per sheet.

There are three designs:

- R\_8.5x11\_2 Tag-Laminated 1-side Front
- R\_8.5x11\_2 Tag-Laminated 1-side Back
- R\_8.5x11\_2 Tag-Laminated 2-side



The **R\_8.5x11\_2 Tag-Laminated 1-side Front** and **R\_8.5x11\_2 Tag-Laminated 1-side Back** designs are best used together on a single-sided printer to create a complete tag.

The **R\_8.5x11\_2 Tag-Laminated 2-side** design is best for a two-sided or duplexing printer to create a complete tag with a single print job. This is a combination design of R\_8.5x11\_2 Tag-Laminated 1-side Front and R\_8.5x11\_2 Tag-Laminated 1-side Back.

The front side of the design contains the following information:

- Personnel Barcode
- Medical Barcode
- Organization
- Organization Logo
- First and Last Name
- Photo
- Title
- ID Number
- Qualifications

The back side of the design contains human-readable medical information. After a tag is complete, this information is folded over and the tag is laminated for confidentiality. In the case of an emergency, the tag can be cut to access the medical information. The medical information includes:

- Religion
- Blood Pressure
- Pulse
- Birth Date
- Blood Type
- Sex/Gender
- Emergency Contact Name and Phone Number
- Physician Name and Phone Number
- Person's Name
- Allergies
- Medications
- Insurance Company and Policy Number
- Organ Donor (Yes or No)




Figure 2.1.2.1

Frances Belote			120/80	Rcsp: 0	80
			7/1/1965	O+	Female
Lipitor	Lasix		Richard Belote (father)	5559281029	
AKBCBS	87209318208	N	Robb	5552783982	

Frances Belote			120/80	Resp: 0	80
			7/1/1965	O+	Female
Lipitor	Lasix		Richard Belote (father)	5559281029	
AKBCBS	87209318208	N	Robb	5552783982	

				Protestant	
Kandi Belote			120/80	Resp: 0	70
			7/29/1955	B+	Female
Lexapro			Karen Holmes (partner)	5553613094	
EKInsko	1009128376198	N	Mattson	5554689238	

				Protestant	
Kandi Belote			120/80	Resp: 0	70
			7/29/1955	B+	Female
Lexapro			Karen Holmes (partner)	5553613094	
EKInsko	1009128376198	N	Mattson	5554689238	

Figure 2.1.2.2

### 2.1.3 Standard Paper Design

The standard paper designs for personnel are meant for plain paper or the specific Avery label sheets as described in the design name. They can also be printed with or without images as labeled in the design name. These designs are typically used to create a "Battle Book" for incident commanders or event managers to quickly assign known personnel who are present.

All designs include the following information:

- Personnel Barcode
- Organization
- Name
- Title
- ID Number
- Qualifications

There are six default standard paper designs:

- R8.5x11\_Avery5163\_with\_Images
- R\_8.5x11\_Avery5163\_without\_Images
- R\_8.5x11\_Avery5199\_with\_Images
- R\_8.5x11\_Avery5199\_without\_Images
- R\_8.5x11\_Photo\_Roster
- R\_8.5x11\_Person\_Assignment\_Sheet

## R\_8.5x11\_Avery5163\_with\_Images

These are designed to be printed on the Avery 5163 template. It prints up to 10 personnel tags per sheet. The printouts are often placed in a sheet protector and stored in a 3-ring binder to have a scannable roster. The design includes personnel photos and organization logos.

### Moosewood Police Dept

**Richard Carothers**  
*Lieutenant*



Qualifications:  
INVEST, ArsonT, DRS,  
Evidence, HazMatT,  
HMA, HMO, HMT, IC,  
MFR, PIO, VEHX



### Department of Defense

**Lee Chapman**  
*Coordinator*



Qualifications:  
FFI, HMA, MFR, VEHX,  
WFOI



### Wolfvillage FD

**Joseph Clifford**  
*Fire Chief*



Qualifications:  
AO, INVEST, ArsonT, EMT, FOI,  
FOII, FFI, FFII, HazMatT, HMA,  
HMO, HMT, IC, MFR, EMTP,  
PIO, SO, VEHX, WFOI, WFOII



### Redrock FD

**David Clifford**  
*Assistant Chief*



Qualifications:  
AO, INVEST, ArsonT, EMT, FOI,  
FOII, FO \_II, FFI, FFII, FF \_I, FF \_II,  
HazMatT, HMA, HMO, HAZT, HMT,  
IC, MFR, PIO, PIOT3, SO, SOT3,  
VEHX, WFOI, WFOII, WFO \_I



### Forestville FD

**Marcy Collman**  
*Fire Fighter*



Qualifications:  
FFI, HMA, MFR, VEHX,  
WFOI



### Moosewood Fire Department

**Nick DeRosa**  
*Assistant Chief*



Qualifications:  
AO, INVEST, ArsonT, EMT, FOI,  
FOII, FO \_II, FFI, FFII, FF \_I, FF \_II,  
HazMatT, HMA, HMO, HAZT, HMT,  
IC, ICT3, MFR, SO, SOT3, VEHX,  
WFOI, WFOII, WFO \_I, WFO \_II



### Lake Cnty Health Center

**Frank DeRosa**  
*Paramedic*



Qualifications:  
EMT\_, HazMatT, HMA,  
HMO, HAZT, HMT, MFR,  
EMTP



### Pine FD

**Clinton Desch**  
*Captain*



Qualifications:  
AO, INVEST, EMT, FFI,  
FFII, HazMatT, HMA,  
HMO, HMT, IC, MFR, PIO,  
SO, WFOI, WFOII



### Moosewood Fire Department

**Terry Earley**  
*Fire Fighter*



Qualifications:  
EMT, EMT\_, FOI, FOII, FO \_I, \_II,  
FFI, FFII, FF \_I, FF \_II, HMA,  
HMO, MFR, EMT\_P, EMTP, SO,  
VEHX, WFOI, WFOII, WFO \_I,  
WFO \_II



### Redrock FD

**James Earley**  
*Fire Fighter*



Qualifications:  
EMT, EMT\_, FOI, FOII,  
FFI, FFII, HMA, HMO,  
MFR, EMT\_P, EMTP, SO,  
VEHX, WFOI, WFOII



Figure 2.1.3.1



## R\_8.5x11\_Avery5163\_without\_Images

These designs are also meant to be printed on the Avery 5163 template. It prints up to 10 personnel tags per sheet. The printouts are often placed in a sheet protector and stored in a 3-ring binder to have a scannable roster. The designer does NOT include personnel photos and organization logos.

### Redrock EMS

**James Earley**  
*Paramedic*

Qualifications:  
EMT, EMT\_, HMA, HMO,  
HAZT, HMT, MFR,  
EMT\_P, EMT



### Pine FD

**Mary Eaton**  
*Fire Fighter*

Qualifications:  
EMT, FFI, FFII, HMA,  
HMO, MFR, WFOI,  
WFOII



### Wolfvillage FD

**Michael Elam**  
*Fire Fighter*

Qualifications:  
EMT, FFI, FFII, HMA,  
HMO, MFR, VEHX,  
WFOI, WFOII



### Wolfvillage FD

**Karl Ferguson**  
*Captain*

Qualifications:  
AO, INVEST, ArsonT, EMT, FOI,  
FOII, FFI, FFII, HazMatT, HMA,  
HMO, HMT, IC, MFR, EMT, P,  
PIO, SO, VEHX, WFOI, WFOII



### Moosewood Police Dept

**Glenna Gossard**  
*Officer*

Qualifications:  
DRS, HMA, HMO, MFR,  
VEHX



### Alaska State Police

**Andrew Grile**  
*Trooper*

Qualifications:  
INVEST, ArsonT, EMT,  
EMT\_, Evidence, HazMatT,  
HMA, HMO, HAZT, HMT, IC,  
MFR, EMT\_P, EMT, P, PIO



### Forestville FD

**Richard Gunter**  
*Fire Chief*

Qualifications:  
AO, INVEST, ArsonT,  
FFI, HMA, IC, MFR, PIO,  
SO, VEHX, WFOI



### Moosewood Fire Department

**Howard Hodge**  
*Fire Fighter*

Qualifications:  
FOI, FOII, FO I\_II, FFI,  
FFII, FF\_I, FF\_II, HMA,  
HMO, MFR, VEHX, WFOI,  
WFOII, WFO\_I, WFO\_II



### Moosewood Fire Department

**Helen Hodge**  
*Captain*

Qualifications:  
AO, INVEST, ArsonT, EMT, EMT\_  
FOI, FOII, FO I\_II, FFI, FFII, FF\_I,  
FF\_II, HMA, HMO, IC, MFR, EMT\_P,  
EMTP, PIO, PIOT3, SO, VEHX,  
WFOI, WFOII, WFO\_I, WFO\_II



### Moosewood Fire Department

**Jean Hogg**  
*Fire Fighter*

Qualifications:  
EMT, EMT\_, FOI, FOII, FO I\_II,  
FFI, FFII, FF\_I, FF\_II, HMA,  
HMO, HAZT, HMT, MFR, EMT\_P,  
EMTP, PIO, VEHX, WFOI, WFOII,  
WFO\_I, WFO\_II



Figure 2.13.2

## R\_8.5x11\_Avery5199\_with\_Images

These designs are meant to be printed on the Avery 5199 template. It prints up to 10 personnel tags per sheet. The printouts are often 3-hole punched and placed in a 3-ring binder to have a scannable roster. The design includes personnel photos and organization logos.

### Pine FD

**Tim Hunt**  
*Driver*



#### Qualifications:

EMT, FFI, FFII, HMA,  
HMO, MFR, WFOI,  
WFOII



### Lake Cnty Sheriff's Dept

**John Jaspersniemi**  
*Deputy*



#### Qualifications:

EMT, HMA, HMO, MFR,  
TAR



### Wolfvillage FD

**Lena Kowalski**  
*Fire Fighter*



#### Qualifications:

EMT, FFI, FFII, HMA,  
HMO, MFR, VEHX,  
WFOI, WFOII



### Moosewood County Search and Rescue

**Jonathon Kugelmaki**  
*Deputy*



#### Qualifications:

INVEST, ArsonT, EMT,  
EMT\_, Evidence,  
HazMatT, HMA, HMO,  
HAZT, HMT, IC, MFR



### Redrock FD

**Larry Lewis**  
*Fire Chief*



#### Qualifications:

AO, INVEST, ArsonT, EMT, FOI,  
FOII, FO I\_II, FFI, FFII, FF\_I,  
FF\_II, HazMatT, HMA, HMO,  
HAZT, HMT, IC, ICT3, MFR, PIO,  
SO, VEHX, WFOI, WFOII, WFO\_I



### Moosewood Energy

**Mike Hyatt**  
*Lineman*



#### Qualifications:

EMT, FFI, FFII, HMA,  
HMO, MFR, VEHX,  
WFOI, WFOII



### Team Rubicon

**Danny Kootuk**  
*Volunteer*



#### Qualifications:

EMT, FFI, FFII, HMA,  
HMO, MFR, VEHX,  
WFOI, WFOII



### Wolfvillage FD

**Kathy Kramer**  
*Driver*



#### Qualifications:

EMT, FFI, FFII, HMA,  
HMO, MFR, VEHX,  
WFOI, WFOII




### Moosewood Fire Department

**Carl Lewis**  
*Fire Chief*



#### Qualifications:

AO, INVEST, ArsonT, EMT, EMT\_,  
FOI, FOII, FO I\_II, FFI, FFII, FF\_I,  
FF\_II, HazMatT, HMA, HMO, HAZT,  
HMT, IC, ICT3, MFR, EMT\_P, EMT\_P,  
SO, SOT3, VEHX, WFOI, WFOII,  
WFO\_I, WFO\_II



### Huskie Trail Village FD

**Lyndon Lewis**  
*Fire Fighter*



#### Qualifications:

FOI, FOII, FFI, FFII,  
HMA, HMO, MFR, SO,  
WFOI, WFOII



Figure 2.1.3.3

## R\_8.5x11\_Avery5199\_without\_Images

These designs are also meant to be printed on the Avery 5199 template. It prints up to 10 personnel tags per sheet. The print outputs are often 3-hole punched and stored in a 3-ring binder to have a scannable roster. The design does NOT include personnel photos and organization logos.

### Redrock FD

**Ann Lopez**

*Fire Fighter*

Qualifications:

EMT, FOI, FOII, FFI, FFII,  
HMA, HMO, MFR, EMT, P,  
VEHX, WFOI, WFOII



### Pine FD

**Doug McHone**

*Fire Fighter*

Qualifications:

FFI, HMA, MFR, WFOI



### Forestville FD

**Cordell Morgan**

*Captain*

Qualifications:

AO, INVEST, ArsonT,  
FFI, HMA, ICE, IC, MFR,  
PIO, SO, VEHX, WFOI



### Forestville FD

**Tim Sewall**

*Driver*

Qualifications:

FFI, HMA, MFR, VEHX,  
WFOI



### Moosewood Fire Department

**George Smith**

*Driver*

Qualifications:

FFI, FFII, FF\_I, FF\_II,  
HMA, HMO, MFR, VEHX,  
WFOI, WFOII, WFO\_I,  
WFO\_II



### Redrock FD

**Robert Lopez**

*Fire Fighter*

Qualifications:

FOI, FFI, HMA, MFR,  
VEHX, WFOI



### Pine FD

**April Moore**

*Fire Chief*

Qualifications:

AO, INVEST, ArsonT, EMT, FOI,  
FOII, FFI, FFII, HazMatT, HMA,  
HMO, HMT, IC, MFR, PIO, SO,  
WFOI, WFOII



### Moosewood EMS

**Gina Sanderson**

*EMT Basic*

Qualifications:

EMT, HMA, HMO, MFR



### Moosewood Fire Department

**Billy Sharpe**

*Fire Fighter*

Qualifications:

EMT, FFI, FFII, FF\_I,  
FF\_II, HMA, HMO, MFR,  
VEHX, WFOI, WFOII,  
WFO\_I, WFO\_II



### Huskie Trail Village FD

**Geoffrey Smith**

*Assistant Chief*

Qualifications:

AO, INVEST, ArsonT, FOI, FOII,  
FO\_I\_II, FFI, FFII, FF\_I, FF\_II,  
HazMatT, HMA, HMO, HMT, IC,  
MFR, PIO, SO, WFOI, WFOII,  
WFO\_I



Figure 2.1.3.4



## R\_8.5x11\_Photo\_Roster

This design prints up to seven personnel barcodes per sheet. It includes personnel photos and organization logos. The print outputs are often place in a sheet protector and stored in a 3-ring binder to have a scannable roster.




















<small>Federal Emergency Management Agency</small> 	<b>Sean Bird</b> <i>Coordinator</i>  <b>PFDSHB75</b>	Qualifications: AO, INVEST, ArsonT, EMT, FOI, FOII, FFI, FFII, HazMatT, HMA, HMO, HMT, IC, MFR, PIO, SO, WFOI, WFOII	 
<small>Moosewood EMS</small> 	<b>Donald Brown</b> <i>EMT Basic</i>  <b>DDB1970</b>	Qualifications: EMT, HMA, HMO, MFR	 
<small>Moosewood Fire Department</small> 	<b>Muriel Wentworth</b> <i>Fire Fighter</i>  <b>700901</b>	Qualifications: EMT, FOI, FOII, FO I_II, FFI, FFII, FF_I, FF_II, HMA, HMO, HAZT, HMT, MFR, EMTP, VEHX, WFOI, WFOII, WFO_I, WFO_II	 
<small>Huskie Trail Village FD</small> 	<b>Kenneth Wert</b> <i>Fire Fighter</i>  <b>05051955W</b>	Qualifications: FFI, HMA, MFR, WFOI	 
<small>Huskie Trail Village FD</small> 	<b>Craig Wert</b> <i>Captain</i>  <b>01031978W</b>	Qualifications: AO, INVEST, ArsonT, FOI, FOII, FFI, FFII, HazMatT, HMA, HMO, HMT, IC, MFR, PIO, SO, WFOI, WFOII	 
<small>Huskie Trail Village FD</small> 	<b>James Wolfcale</b> <i>Fire Fighter</i>  <b>07041980W</b>	Qualifications: FOI, FOII, FFI, FFII, HMA, HMO, MFR, SO, WFOI, WFOII	 
<small>Huskie Trail Village FD</small> 	<b>Julie Wolfcale</b> <i>Fire Fighter</i>  <b>10061980W</b>	Qualifications: FFI, HMA, MFR, WFOI	 

Figure 2.1.3.5

## R\_8.5x11\_Person\_Assignment\_Sheet

This design is used to turn a person's name into an assignment barcode. Then, personnel and equipment can be assigned to this person assigned and tracked as a collection. This design prints up to a maximum of 10 personnel assignment barcodes per sheet.

Assignment:

**Vern Smith**  
Forestville FD



Assignment:

**Art Sommer**  
Forestville FD



Assignment:

**Jason Sommer**  
Pine FD



Assignment:

**Kathleen Stuckey**  
Alaska State Police



Assignment:

**Alec Sutherland**  
Forestville FD



Assignment:

**Benjamin Thomas**  
Wolfvillage FD



Assignment:

**Randy Trana**  
Huskie Trail Village FD



Assignment:

**Roger Trana**  
Huskie Trail Village FD



Assignment:

**Donald Walker**  
Redrock FD



Assignment:

**Brian Walker**  
Redrock FD



*Figure 2.13.6*



## 2.1.4 Label Design

The Label Designs are best printed on the Zebra label printers using 2x1 label stock available through Salamander Technologies. There are two label designs offered.

### R\_2x1\_Personnel

This design is used to create a standard personnel tag containing the personnel barcode, name, and organization.

**Kandi Belote**

**Redrock FD**



*Figure 2.1.4.1*

### R\_2x1\_Person\_Assignment

This design is used to turn a person's name into an assignment barcode so personnel and equipment can be assigned to the person and be tracked as a collection.

**Assignment:**

**Lee Austin**



*Figure 2.1.4.2*

## 2.2 Equipment

Equipment designs are specifically used when printing equipment tags. There are a total of 17 default equipment designs available for use. For ease of identification, all of the default equipment designs begin with an "E." If other Salamander software, such as RAPID TAG, is installed on the same computer, those Equipment designs will also be available for use when printing in SalamanderLive™.

### 2.2.1 Hard Card Design

The hard card designs are separated into two main groups based on their available design features. Within these groupings, common color variations are available and named for the specific organization type to use with the color. These hard card designs are intended to be for more permanent tags, which are printed on CR80-sized cards using a PVC or hard card printer.

#### E\_Card\_[Industry Type]

These designs are the standard for Salamander equipment tags. The designs contain a front and back and have the following features:

- Equipment Barcode
- Organization
- Organization Logo

- Name
- Photo
- ID
- Description
- Qualifications
- State
- Organization's Address









Emergency_Management	Fire	Government
<b>Moosewood Emergency Management</b>	<b>Moosewood Fire Department</b>	<b>Federal Emergency Management Agency</b>
		
<b>COMMAND Laptop HP 440</b>	<b>MFD-A1-90</b>	<b>Laptop HP 440</b>
 	 	 
<b>Michigan</b>	<b>Alaska</b>	<b>Michigan</b>

Figure 2.2.1.1









Health_and_Medical	Law_Enforcement	Military
<b>Lake Cnty Health Center</b>	<b>Alaska State Police</b>	<b>Department of Defense</b>
		
<b>LCHC-AMB1-06-T1</b>	<b>ASP-VEH1-04 Kawasaki Brute Force</b>	<b>DOD-HUMVEE-02 HUMVEE</b>
 	 	 
<b>Alaska</b>	<b>Alaska</b>	<b>Virginia</b>

Figure 2.2.1.2

## Back of all E\_Card Designs

Private\_Industry

**Moosewood Energy**



**ME-C1-01**  
**Jeep Wrangler**



Qualifications:



**Michigan**

Volunteer

**City of Moosewood Volunteers**



**CMV-VEH1-01**  
**Kawasaki Brute Force**



Qualifications:  
**ArsonT,**  
**Evidence, MFR**



**Alaska**

125 Winchester Street  
Moosewood, AK 99675

1250gpm, 300gal, 95FT, LDH, Rope

Figure 2.2.1.3

### E\_Card\_3\_Tag

This design is for special CR80 cards which can be broken into three 2x1 tags.

These tags contain the following information:

- Equipment Barcode
- Organization
- Organization Logo
- Name
- Photo
- ID
- Description

**Redrock FD**  
RFD-TW2-97-T1  
RFD-TW2-97-T1



**Redrock FD**  
RFD-TW2-97-T1  
RFD-TW2-97-T1



**Redrock FD**  
RFD-TW2-97-T1  
RFD-TW2-97-T1



Figure 2.2.1.4

## 2.2.2 Standard Paper Design

The standard paper designs for equipment are meant for plain paper or the specific Avery label sheets as described in the design name. They can also be printed with or without images as labeled in the design name. These designs are typically used to create a "Battle Book" for incident commanders or event managers to quickly assign known equipment which is present.

All designs include the following information:

- Equipment Barcode
- Organization
- Name
- ID
- Description
- Make
- Model
- Qualifications

There are six default standard paper designs:

- E\_8.5x11\_Avery5163\_with\_Images
- E\_8.5x11\_Avery5163\_without\_Images
- E\_8.5x11\_Avery5199\_with\_Images
- E\_8.5x11\_Avery5199\_without\_Images
- E\_8.5x11\_Photo\_Roster
- E\_8.5x11\_Person\_Assignment\_Sheet



## E\_8.5x11\_Avery5163\_with\_Images

These are designed to be printed on the Avery 5163 template. It prints up to 10 equipment tags per sheet. The printouts are often placed in a sheet protector and stored in a 3-ring binder to have a scannable roster. The design includes equipment photos and organization logos.

### Moosewood Fire Department MFD-E4-05

MFD-E4-05

Qualifications:  
1000gal, 1250gpm,  
AFOAM, BFOAM,  
EMTP



### Moosewood Fire Department MFD-E5-00

MFD-E5-00

Qualifications:  
1000gal, 1250gpm,  
AFOAM, BFOAM,  
EMT, LDH



### Moosewood Fire Department MFD-AMB1-99

MFD-AMB1-99

Qualifications:  
EMT



### Moosewood Fire Department MFD-C1-03

MFD-C1-03

Qualifications:  
IC, MFR



### Moosewood Fire Department MFD-SCBA1-04

MFD-SCBA1-04

Qualifications:



### Moosewood Fire Department MFD-SCBA2-03

MFD-SCBA2-03

Qualifications:



### Moosewood Fire Department MFD-Gen1-05

MFD-Gen1-05

Qualifications:



### Alaska State Police ASP-VEH1-04 *Kawasaki Brute Force* ASP-VEH1-04

Qualifications:  
ArsonT, Evidence,  
MFR



### Lake Cnty Sheriff's Dept LCSD-VEH2-05

LCSD-VEH2-05

Qualifications:  
EMT, TAR



### Moosewood Police Dept MPD-VEH2-06

MPD-VEH2-06

Qualifications:  
DiveTeam, MFR



Figure 2.2.1



## E\_8.5x11\_Avery5163\_without\_Images

These designs are also meant to be printed on the Avery 5163 template. It prints up to 10 equipment tags per sheet. The printouts are often placed in a sheet protector and stored in a 3-ring binder to have a scannable roster. The design does NOT include equipment photos and organization logos.

### SalLive Training MA Tender 1

MA Tender 1

Qualifications:



### SalLive Training MA Tender 2

MA Tender 2

Qualifications:



### SalLive Training MA Tender 3

MA Tender 3

Qualifications:



### SalLive Training MA Tender 4

MA Tender 4

Qualifications:



### SalLive Training MA Tender 5

MA Tender 5

Qualifications:



### SalLive Training MA Aerial 1

MA Aerial 1

Qualifications:



### SalLive Training MA Aerial 2

MA Aerial 2

Qualifications:



### SalLive Training MA Ambulance 1

MA Ambulance 1

Qualifications:



### SalLive Training MA Ambulance 2

MA Ambulance 2

Qualifications:



### SalLive Training MA Ambulance 3

MA Ambulance 3

Qualifications:



Figure 2.2.2.2

## E\_8.5x11\_Photo\_Roster

This design prints up to seven equipment barcodes per sheet. It includes equipment photos and organization logos. The print outputs are often placed in a sheet protector and stored in a 3-ring binder to have a scannable roster.

Moosewood EMS	<b>MEMS-AMB2-04-T3</b>		
	<b>MEMS-AMB2-04-T3</b> Qualifications: EMT		
Redrock EMS	<b>REMS-AMB3-05-T1</b>		
	<b>REMS-AMB3-05-T1</b> Qualifications: EMTP		
Lake Cnty Health Center	<b>LCHC-AMB1-06-T1</b>		
	<b>LCHC-AMB1-06-T1</b> Qualifications: EMTP		
Moosewood Fire Department	<b>MFD-E1-01-T1</b>		
	<b>MFD-E1-01-T1</b> Qualifications: 1000gpm, 400gal, ET1		
Moosewood Fire Department	<b>MFD-TW2-03-T1</b>		
	<b>MFD-TW2-03-T1</b> Qualifications: 2000gal, 300gpm, TT1		
Moosewood Fire Department	<b>MFD-C2-06</b>		
	<b>MFD-C2-06</b> Qualifications: IC		
Redrock FD	<b>RFD-E1-02-T2</b>		
	<b>RFD-E1-02-T2</b> Qualifications: 400gal, 500gpm, ET2		

Figure 2.2.2.3

### E\_8.5x11\_Equipment\_Assignment\_Sheet

This design is used to turn an item's name into an assignment barcode. Then, personnel and equipment can be assigned to this equipment assignment and tracked as a collection. This design prints up to a maximum of 10 equipment assignment barcodes per sheet.

Assignment:

**HTFD-E2-01-T2**

Huskie Trail Village FD



Assignment:

**WFD-E1-02-T2**

Wolfvillage FD



Assignment:

**FFD-E1-05-T2**

Forestville FD



Assignment:

**PFD-E1-99-T2**

Pine FD



Assignment:

**MA Engine 1**

Pine FD



Assignment:

**MA Engine 1**

SalLive Training



Assignment:

**MA Engine 2**

SalLive Training



Assignment:

**MA Engine 3**

SalLive Training



Assignment:

**MA Engine 4**

SalLive Training



Assignment:

**MA Engine 5**

SalLive Training



Figure 2.2.2.4

### 2.2.3 Label Design

The Label Designs are best printed on 2x1 label stock, available through Salamander Technologies, using the Zebra label printers. There are two label designs available.

#### E\_2x1\_Equipment

This design is used to create a standard equipment tag containing the equipment barcode, name, and organization.

**MFD-A1-90**

**Moosewood Fire  
Department**



*Figure 2.2.3.1*

#### E\_2x1\_Equipment\_Assignment

This design is used to turn an item's name into an assignment barcode so personnel and equipment can be assigned the equipment and be tracked as a collection.

**Assignment:  
MFD-T1-94**



*Figure 2.2.3.2*

## 2.3 Assignments

Assignment designs are specifically used when printing Assignment tags. There are a total of three default assignment designs available for use. For ease of identification, all of the default assignment designs begin with an "A." If other Salamander software, such as COMMAND, is installed on the same computer, those assignment designs will also be available for use when printing in SalamanderLive™.

### 2.3.1 Hard Card Design

The only hard card design available for assignments is **R\_Card\_3\_TAG**. This design is intended to be printed on special CR80 cards, which can be broken into 3 2x1 tags using a PVC or hard card printer.

**Assignment:**

**Public  
Information  
Officer**



**Assignment:**

**Public  
Information  
Officer**



**Assignment:**

**Public  
Information  
Officer**



*Figure 2.3.1.1*



### 2.3.2 Standard Paper Design

The only standard paper design available for assignments is **A\_8.5x11\_Avery5199\_Sheet**. This design is meant to be printed on plain paper or Avery 5199 label. It is typically used to create a "Battle Book" for incident commanders or event managers to quickly assign personnel or equipment to a standard assignment.

Assignment:  
**On Scene**



Assignment:  
**Off Scene**



Assignment:  
**Incident Commander**



Assignment:  
**Division A**



Assignment:  
**Division B**



Assignment:  
**Division C**



Assignment:  
**Division D**



Assignment:  
**Staging**



Assignment:  
**Triage Group**



Assignment:  
**Rehab**



*Figure 2.3.2.1*

### 2.3.3 Label Design

The only label design available for assignments is **A\_2x1\_Assignment**. This design is best printed on 2x1 label stock available through Salamander Technologies using the Zebra label printers.



*Figure 2.3.3.1*

## 3 RAPID TAG

RAPID TAG is the proprietary on-scene tagging software created by Salamander Technologies, LLC. With RAPID TAG, event-specific temporary tags can be created for people, equipment, and companies using various materials and radio-frequency identification ("RFID") smart cards. These designs are predominantly used with disposable label material, but hard cards can be used for a semi-permanent tag during longer events.

### 3.1 People

People designs are used to print tags for any person participating or observing in an event. There are a total of four people designs available with each beginning with "R." If other Salamander software, such as SalamanderLive™ Print Control, is installed on the same computer, those People designs will also be available for use when printing in RAPID TAG.

### 3.1.1 Hard Card Design

The hard card designs are meant to be printed on standard CR80-sized cards using a hard card printer. There are two designs available, and both include the following information:

- Organization Name
- First and Last Name
- Role
- Level/Location
- Rank/Title
- Incident Name
- Expiration Date and Time
- Personnel Barcode

#### R\_2x3\_IncidentID\_Photo

This is a single-sided, full-color design.



Figure 3.1.1.1

#### R\_2x3\_IncidentID\_2-Sided

This is a black and white dual-sided design and includes qualifications on the backside.



Figure 3.1.1.2

### 3.1.2 Label Design

There are two label designs available for assignments. The designs are meant to be printed on 2x1 or 3x5 sticker stock using a Zebra label printer. Because these designs are used with disposable tag materials, they are best for shorter events.

#### R\_3x5\_IncidentID

This is the larger and more common label design. It has all of the same information as the hard card designs.

Expiration: <b>05/25/2017 15:18</b>	
Role: <b>COLD</b>	
Level: <b>Perimeter</b>	
Name: <b>Samuel Worth</b>	
Organization: <b>Anywhere, USA</b>	
	ID: <b>160525191853047</b> Rank/Title: <b>Reporter</b>
Qualifications:	



Figure 3.1.2.1

#### R\_2x1\_IncidentID

This is a compact design meant to be placed on an existing tag.

Expr: <b>05/25/2017 15:18</b>	
Name: <b>Danielle Martin</b>	

Figure 3.1.2.2

## 3.2 Equipment

The equipment designs are used to print tags for equipment present at an event. There are a total of two equipment designs available with each beginning with "E." If other Salamander software, such as SalamanderLive™ Print Control, is installed on the same computer, those Equipment designs will also be available for use when printing in RAPID TAG. The designs are meant to be printed on 2x1 or 3x5 sticker stock using a Zebra printer. Because these designs are used with disposable tag materials, they are best for shorter events.

### E\_3x5\_IncidentID

This is the larger and more common design. This design contains the following information:

- Organization Name
- Equipment Description
- Role
- Level/Location
- Type
- Expiration Date and Time
- Qualifications
- Equipment Barcode

#### Equipment

Expiration:

**05/25/2017 16:18**

Role:

Level:

Description:

**Press Van**

Type:

**Other**

Organization:

**Channel 2**

Qualifications:



Figure 3.2.1

### E\_2x1\_Equipment

This is compact design meant to be placed on an existing tag.

**Press Van**

**Channel 10**



Figure 3.2.2



### 3.3 Company

The Company design is used to print a tag for a collection at an event. A collection is a company or group of people and/or equipment who are tracked as a single resource. There is a single-company design available for companies and it begins with "C." If other Salamander software is installed on the same computer, such as COMMAND, those Company designs will also be available for use when printing in RAPID TAG.

The **C\_3x5\_IncidentID** company design contains the following information:

- Organization Name
- Company Name/Description
- Role
- Level/Location
- Type
- Expiration Date and Time
- Qualifications
- Company Barcode

#### Company

---

Expiration:

Role:

**COLD**

Level:

**Perimeter**

---

Description:

**Public Relations 1**

---

Type:

**None**

---


Organization:

**Anywhere, USA**

---

Qualifications:

---



*Figure 3.3.1*

## 4 RAPID TAG EVAC

RAPID TAG EVAC is the proprietary patient and evacuee tagging software created by Salamander Technologies, LLC. With RAPID TAG EVAC, event-specific temporary tags can be created for patients and evacuees using various materials and radio-frequency identification ("RFID") smart cards. These designs are predominantly used with disposable label material.

There are a total of three designs available for patients and evacuees with each design beginning with "P." If other Salamander software is installed on the same computer, such as COMMAND, those Patient designs will also be available for use when printing in RAPID TAG EVAC. All patient designs contain the following information:

- Triage Level/Priority
- ID Number
- Patient Barcode

### 4.1 Wristband Design

There is one wristband design available, the **P\_1x11\_Wristband**. This is the primary design used with patients and evacuees. The wristband design is meant to be printed on 1x11 or 1x10 wristband stock using the Zebra label printers. This design contains the following additional information:

- First and Last Name
- Linear ID Barcode
- Triage Level/Priority Graphic

**Name: Joshua Drew**

**ID: 16060223192887**

**Priority: Green**



*Figure 4.1.1*

### 4.2 Label Design

There are two label designs available. Both are meant to be printed on 2x1 or 3x5 sticker stock using the Zebra label printers.

**P\_2x1\_PatientID**

This is a compact design meant to be placed on an existing tag.

**Triage Level:**

**Green**

**ID:**

**160602232234260**



*Figure 4.2.1*

### P\_3x5\_PatientID

This is a larger design with the following additional information:

- First and Last Name
- Linear ID Barcode
- Triage Level/Priority Graphic
- Gender
- Date of Birth
- Age Class



ID: 160602232450958



Triage Level:

**Red**

---

Gender:	DOB:	Class:
Female	12/6/1995	Adult

---

Name:

**Daniella Valentine**



© Salamander Technologies, Inc.

*Figure 4.2.2*

## 5 CONTACT US

877.430.5171

[training@salamanderlive.com](mailto:training@salamanderlive.com)

[www.salamanderlive.com](http://www.salamanderlive.com)